



Technical Data Sheet

A-A-1800 Phenolic Spar Varnish

PRODUCT: A clear, air-drying alkyd varnish for interior use.

PROPERTIES:

1. **COLOR** - Clear
TY. I - Gloss
TY. II - Semi-Gloss
2. **DRYING TIMES:**
Dry Hard - Within 18 Hours
Set-to-Touch - Within 3 Hours

3. **VEHICLE TYPE** - Phenolic Modified Alkyd
4. **SHELF LIFE** - 1 Year from Date/Mfg.
5. **NON-VOLATILE(Weight)**- 44% Minimum

APPLICATION AND REDUCTION:

A-A-1800 is normally applied by brush, roll or spray methods. Thin up to 15% by volume with Mineral Spirits as needed for proper flow and atomization.

Fast. Reliable. Accurate. Superior Coatings of America

Address: P.O. Box 409 Clinton, MI 49236 Office Phone: 734-580-2089 Email: sales@superiorsalesdist.com
www.superiorsalesdist.com