



MIL-V-173C Air Dry, Moisture / Fungus Resistant Varnish

Technical Data Sheet (Page 1 of 1)

DESCRIPTION: MIL-V-173C type coating is a moisture and fungus resistant varnish for the treatment of communications, electronic and related equipment. May also be used on tools and materials that are to be transported by ship. Dries to a smooth, hard film that resists cracking and splintering.

Physical Properties:

Color:	Clear
Finish:	Gloss
Solids (Weight):	51 – 54%
Set-To-Touch:	60 Minutes
Dry Tack Free:	5 Hours

Application Characteristics:

- (1). Fast Dry
- (2). Moisture Resistant
- (3). Fungus Resistant
- (4). Air Dry

Typical Uses:

- (1). Electronic Equipment
- (2). Communications Equipment
- (3). Electrical Equipment
- (4). Tools
- (5). Electric Parts/Wires

APPLICATION & REDUCTION: Surface must be clean, dry, and properly prepared before application. May be applied by brush, roll, dip, or spray.

AEROSOL CANS: Vigorously shake can for one minute to thoroughly mix coating. Shake can occasionally while spraying. Hold can approximately 12" from surface to be painted.

SHELF LIFE: 1 YEAR FROM DATE OF MANUFACTURE ** READ MSDS BEFORE USE **

Fast. Reliable. Accurate. Superior Coatings of America

Address: P.O. Box 409 Clinton, MI 49236 Office Phone: 734-580-2089 Email: sales@superiorsalesdist.com
www.superiorsalesdist.com